

## Mini-Lynx Fast-Start V2

MLFS V2 11W E27 840 SLV

**0035003**



### Product features

- Compact, fast-start energy saving lamps, - Up to 80% energy saving compared to Incandescent, - Instant Flicker free start <1second, Delivers 60% light in less than 40 seconds, Average life 12,000hours



### PRODUCT OVERVIEW

<b>Product code</b>	0035003
<b>Product name</b>	MLFS V2 11W E27 840 SLV
<b>Technology</b>	Compact Fluorescent
<b>Watt (Rated) (W)</b>	11
<b>Lamp shape</b>	CFLi Stick
<b>Type</b>	Mini-Lynx Home
<b>Cap/Base</b>	E27
<b>Lamp finish</b>	Frosted
<b>General application</b>	Hospitality, Residential & Consumer
<b>Certifications</b>	EUERL032
<b>ETIM Class</b>	EC000819
<b>E-number Finland</b>	4940270
<b>E-number Sweden</b>	8357522
<b>Luminous flux (lm)</b>	560
<b>Efficacy (lm/w)</b>	57.27
<b>Colour temperature (K)</b>	4000
<b>Light colour</b>	840 Cool White
<b>Wattage (W)</b>	11
<b>Average life (Nominal) (h)</b>	12000
<b>Product EAN number</b>	5410288350035

### DATA TABLE

#### General data

<b>Product code</b>	0035003
<b>Lamp mercury content (mg)</b>	2.00
<b>Product name</b>	MLFS V2 11W E27 840 SLV
<b>Technology</b>	Compact Fluorescent
<b>Watt (Rated) (W)</b>	11
<b>Lamp shape</b>	CFLi Stick

## Mini-Lynx Fast-Start V2

MLFS V2 11W E27 840 SLV

**0035003**

<b>Type</b>	Mini-Lynx Home
<b>Cap/Base</b>	E27
<b>Lamp finish</b>	Frosted
<b>General application</b>	Hospitality, Residential & Consumer
<b>Certifications</b>	EUERL032
<b>ETIM Class</b>	EC000819
<b>E-number Finland</b>	4940270
<b>E-number Sweden</b>	8357522

### Optical data

<b>Luminous flux (lm)</b>	560
<b>Luminous flux (Rated) (lm)</b>	630
<b>Efficacy (lm/w)</b>	57.27
<b>Colour temperature (K)</b>	4000
<b>Correlated colour temperature range (K)</b>	4000
<b>Light colour</b>	840 Cool White
<b>Adjustable chromaticity</b>	N
<b>Lumen maintenance at end of nominal life (%)</b>	70

### Electrical data

<b>Wattage (W)</b>	11
<b>Equivalent watt (W)</b>	50
<b>Starting time (max) (s)</b>	<1.0
<b>Warm-up time to 60% of full light (max) (s)</b>	< 40
<b>Mains voltage (V)</b>	220-240V~
<b>Lamp power factor</b>	0.55
<b>Control gear required</b>	No
<b>No. Of switching cycles before premature failures</b>	30000
<b>Lamp Energy Label (class)</b>	A
<b>Energy efficiency level</b>	A
<b>kWh per 1000 hours burning time</b>	11

### Lifetime data

<b>Average life (Nominal) (h)</b>	12000
<b>Average life (Rated) (h)</b>	12000

### Physical data

<b>Max. Lamp Diameter (mm) - D</b>	42
<b>Weight (kg)</b>	0.054

## Mini-Lynx Fast-Start V2

MLFS V2 11W E27 840 SLV

**0035003**


### Packaging

<b>Single packaging type</b>	Carton
<b>Product EAN number</b>	5410288350035
<b>Packaging single length (cm)</b>	4.2
<b>Packaging single width (cm)</b>	4.4
<b>Packaging single height (cm)</b>	12.8
<b>DUN14 (outer)</b>	15410288350032
<b>Units per outer package</b>	10
<b>Packaging outer length (cm)</b>	23.5
<b>Packaging outer width (cm)</b>	9.5
<b>Packaging outer height (cm)</b>	14.3

### Safety data

<b>Breakage cleaning instructions</b>	Applicable
<b>Recommendation for disposal at end of life</b>	Applicable
<b>Special purpose lamp</b>	No
<b>Intended purpose</b>	General lighting
<b>Dry applications use only</b>	Yes
<b>Suitable for household illumination</b>	No

## TECHNICAL DRAWINGS



## Mini-Lynx Fast-Start V2

MLFS V2 11W E27 840 SLV

**0035003**

